
6. BUCKET SELECTION GUIDE

1) GENERAL BUCKET



Capacity		Width		Weight	Recommendation				
					5.1m (16' 9") Mono boom			5.1m (16' 9") Hyd adjustable boom	
SAE heaped	CECE heaped	Without side cutter	With side cutter	· •	2.2m arm (7' 3")	2.6m arm (8' 6")	3.1m arm (10' 2")	2.2m arm (7' 3")	2.6m arm (8' 6")
0.39m³ (0.51yd³)	0.34m³ (0.44yd³)	620mm (24.4")	740mm (29.1")	410kg (900lb)					
0.50m³ (0.65yd³)	0.44m³ (0.58yd³)	760mm (29.9")	880mm (34.6")	470kg (1040lb)					
0.64m³ (0.84yd³)	0.55m ³ (0.72yd ³)	920mm (36.2")	1040mm (40.9")	510kg (1120lb)					
* 0.76m³ (0.99yd³)	0.65m ³ (0.85yd ³)	1060mm (41.7")	1180mm (46.5")	570kg (1260lb)					
0.89m³ (1.16yd³)	0.77m³ (1.01yd³)	1220mm (48.0")	1340mm (52.8")	610kg (1340lb)					
1.05m³ (1.37yd³)	0.90m³ (1.18yd³)	1400mm (55.1")	1520mm (59.8")	680kg (1500lb)					
◆0.69m³ (0.9yd³)	0.62m ³ (0.81yd ³)	990mm (39.0")	-	700kg (1540lb)					



