


6. BUCKET SELECTION GUIDE

1) GENERAL BUCKET




Capacity		Width		Weight	Recommendation				
					5.65m (18' 6") boom			5.56m (18' 3") Adjustable boom	
SAE heaped	CECE heaped	Without side cutter	With side cutter		2.0m arm (6' 7")	2.4m arm (7' 10")	2.90m arm (9' 6")	2.0m arm (6' 7")	2.4m arm (7' 10")
0.51m³ (0.67yd³)	0.45m³ (0.59yd³)	700mm (27.6")	820mm (32.3")	570kg (1260lb)					
0.80m³ (1.05yd³)	0.70m³ (0.92yd³)	1000mm (39.4")	1120mm (44.1")	700kg (1540lb)					
* 0.87m³ (1.14yd³)	0.75m³ (0.98yd³)	1090mm (42.9")	1210mm (47.6")	740kg (1630lb)					
0.92m³ (1.20yd³)	0.80m³ (1.05yd³)	1150mm (45.3")	1270mm (50.0")	770kg (1700lb)					
1.10m³ (1.44yd³)	0.96m³ (1.26yd³)	1320mm (52.0")	1440mm (56.7")	830kg (1830lb)					
1.20m³ (1.57yd³)	1.00m³ (1.31yd³)	1400mm (55.1")	1520mm (59.8")	850kg (1870lb)					
1.34m³ (1.75yd³)	1.15m³ (1.50yd³)	1550mm (61.0")	1670mm (65.7")	920kg (2030lb)					





2) HEAVY DUTY, ROCK AND SLOPE FINISHING BUCKET



Capacity		Width		Weight	Recommendation				
					5.65m (18' 6") boom			5.56m (18' 3") Adjustable boom	
SAE heaped	CECE heaped	Without side cutter	With side cutter		2.0m arm (6' 7")	2.4m arm (7' 10")	2.90m arm (9' 6")	2.0m arm (6' 7")	2.4m arm (7' 10")
	0.65m³ (0.85yd³)	985mm (38.8")	-	770kg (1700lb)					
♦0.90m³ (1.18yd³)	0.80m³ (1.05yd³)	1070mm (42.1")	-	810kg (1790lb)					
♠1.05m³ (1.37yd³)	0.92m³ (1.20yd³)	1290mm (50.8")	-	890kg (1960lb)					
⊙0.87m³ (1.14yd³)	0.75m³ (0.98yd³)	1140mm (44.9")	-	900kg (1980lb)					
■0.75m³ (0.98yd³)	0.65m³ (0.85yd³)	1790mm (70.5")	-	880kg (1940lb)					

♦ : Heavy duty bucket
 ♠ : Rock bucket
 ■ : Slope finishing bucket
 ■ : Slope finishing bucket
 ■ : Applicable for materials with density of 2000kgf/m³ (3370lbf/yd³) or less
 ■ Applicable for materials with density of 1600kgf/m³ (2700lbf/yd³) or less
 ■ Applicable for materials with density of 1100kgf/m³ (1850lbf/yd³) or less