


2. DIMENSION AND WEIGHT

1) R250LC-7A

(1) BASE MACHINE

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	5190(17' 0")
H	Height	mm(ft-in)	2990(9' 10")
W	Width	mm(ft-in)	3180(10' 5")
Wt	Weight	kg(lb)	19550(43100)

※ With 600mm(24") triple grouser shoes and 4600kg (10140lb) counterweight.




2507A5TA01

(2) BOOM ASSEMBLY

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	6060(19' 11")
H	Height	mm(ft-in)	1630(5' 4")
W	Width	mm(ft-in)	770(2' 6")
Wt	Weight	kg(lb)	2490(5490)

※ 5.85m(19' 2") boom with arm cylinder(Included piping and pins).




13035TA03

(3) ARM ASSEMBLY

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	4120(13' 6")
H	Height	mm(ft-in)	910(2' 12")
W	Width	mm(ft-in)	400(1' 4")
Wt	Weight	kg(lb)	1580(3480)

※ 3.05m(10' 0") arm with bucket cylinder(Included linkage and pins).




13035TA04

(4) BUCKET ASSEMBLY

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	1780(5' 10")
H	Height	mm(ft-in)	1070(3' 6")
W	Width	mm(ft-in)	1250(4' 1")
Wt	Weight	kg(lb)	910(2000)

※ 1.08m³(1.41yd³) SAE heaped bucket(Included tooth and side cutters).




13035TA05

(5) BOOM CYLINDER


Mark	Description	Unit	Specification
L	Length	mm(ft-in)	2115(6' 11")
H	Height	mm(ft-in)	256(0' 10")
W	Width	mm(ft-in)	365(1' 2")
Wt	Weight	kg(lb)	244(540)

※ Included piping.




(6) CAB ASSEMBLY

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	1962(6' 4")
H	Height	mm(ft-in)	1676(5' 5")
W	Width	mm(ft-in)	1288(4' 2")
Wt	Weight	kg(lb)	310(680)



(7) COUNTERWEIGHT

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	2840(9' 4")
H	Height	mm(ft-in)	1050(3' 5")
W	Width	mm(ft-in)	530(1' 9")
Wt	Weight	kg(lb)	4600(10140)




2) R250NLC-7A

(1) BASE MACHINE

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	5190(17' 0")
H	Height	mm(ft-in)	2990(9' 10")
W	Width	mm(ft-in)	2980(9' 9")
Wt	Weight	kg(lb)	19450(42880)

※ With 600mm(24") triple grouser shoes and 4600kg (10140lb) counterweight.



3) R250LC-7A HIGH WALKER

(1) BASE MACHINE

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	5190(17' 0")
H	Height	mm(ft-in)	3345(11' 0")
W	Width	mm(ft-in)	3390(11' 1")
Wt	Weight	kg(lb)	21800(48100)

※ With 600mm(24") triple grouser shoes and 4600kg (10140lb) counterweight.

