


2. DIMENSION AND WEIGHT

1) BASE MACHINE 1 (LONG CRAWLER TYPE)

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	7150(23' 5")
H	Height	mm(ft-in)	4800(15' 9")
W	Width	mm(ft-in)	3480(11' 5")
Wt	Weight	kg(lb)	52000(114640)


※ With 700mm(28") double grouser shoes.

※ Remove cakewalk for transport.




2) BASE MACHINE (SHORT CRAWLER TYPE)

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	6950(22' 10")
H	Height	mm(ft-in)	4800(15' 9")
W	Width	mm(ft-in)	3480(11' 5")
Wt	Weight	kg(lb)	51800(114200)



3) BASE MACHINE 2


Mark	Description	Unit	Specification
L	Length	mm(ft-in)	5800(19' 0")
H	Height	mm(ft-in)	3890(12' 9")
W	Width	mm(ft-in)	3620(11' 11")
Wt	Weight	kg(lb)	25450(56110)



4) TRACK FRAME (LONG CRAWLER TYPE)

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	6335(20' 9")
H	Height	mm(ft-in)	1480(4' 10")
W	Width	mm(ft-in)	1020(3' 4")
Wt	Weight	kg(lb)	13100(28880)


※ Shoe(700mm)



5) TRACK FRAME (SHORT CRAWLER TYPE)

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	6035(19' 10")
H	Height	mm(ft-in)	1500(4' 11")
W	Width	mm(ft-in)	1020(3' 4")
Wt	Weight	kg(lb)	13000(28660)


※ Shoe (700mm)



6) BOOM ASSEMBLY

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	5000(16' 5")
H	Height	mm(ft-in)	1700(5' 7")
W	Width	mm(ft-in)	1400(4' 7")
Wt	Weight	kg(lb)	6640(14640)


※ 4.60m(15' 1") boom with arm cylinder(Included piping and pins).



7) ARM ASSEMBLY

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	3930(12' 11")
H	Height	mm(ft-in)	1300(4' 3")
W	Width	mm(ft-in)	1200(3' 11")
Wt	Weight	kg(lb)	4020(8860)


※ 3.50m(11' 6") arm with bucket cylinder(Included linkage and pins).



8) BUCKET ASSEMBLY

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	2610(8' 7")
H	Height	mm(ft-in)	2270(7' 5")
W	Width	mm(ft-in)	2520(8' 3")
Wt	Weight	kg(lb)	7800(17200)


※ 4.50(5.89yd³) SAE heaped bucket(Included tooth)



9) BOOM CYLINDER


Mark	Description	Unit	Specification
L	Length	mm(ft-in)	3000(9' 10")
H	Height	mm(ft-in)	520(1' 8")
W	Width	mm(ft-in)	370(1' 3")
Wt	Weight(2EA)	kg(lb)	1290(2840)

※ Included piping.




10) CAB ASSEMBLY

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	1800(5' 11")
H	Height	mm(ft-in)	1820(6' 0")
W	Width	mm(ft-in)	1000(3' 3")
Wt	Weight	kg(lb)	310(680)



11) CAB RISER

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	1800(5' 11")
H	Height	mm(ft-in)	950(3' 1")
W	Width	mm(ft-in)	1000(3' 3")
Wt	Weight	kg(lb)	560(1235)



12) COUNTERWEIGHT

Mark	Description	Unit	Specification
L	Length	mm(ft-in)	3420(11' 3")
H	Height	mm(ft-in)	1450(4' 9")
W	Width	mm(ft-in)	750(2' 6")
Wt	Weight	kg(lb)	12500(27560)

