





inch


Model	KL	L1	L2	L3	L4
R16-9, R18-9, R18-9AK	570	120	200	180	140
	22.44	4.72	7.87	7.09	5.51
R17Z-9A	530	120	185	170	140
	20.87	4.72	7.28	6.69	5.51
HX17A Z, HX19A	535	120	200	180	140
	21.06	4.72	7.87	7.09	5.51
R25Z-9A, R25Z-9AK	616	170	250	245	180
	24.25	6.69	9.84	9.65	7.09
R27Z-9, R30Z-9AK	695	170	250	245	180
	27.36	6.69	9.84	9.65	7.09
HX25,30AZ	667	150	250	230	180
	26.26	5.91	9.84	9.06	7.09
R35Z-9, R35Z-9A	717	180	290	280	200
	28.23	7.09	11.42	11.02	7.87
HX35A Z, HX40A	711	200	305	300	200
	27.99	7.87	12.01	11.81	7.87
R55-9, R55W-9, R60CR-9, R60-9S, R60W-9S, HX60, HW60	900	230	365	315	285
	35.43	9.06	14.37	12.40	11.22
HX48A Z, HX55A CR	865	200	340	309	230
	34.06	7.87	13.39	12.17	9.06
R80CR-9	1000	260	395	350	290
	39.37	10.24	15.55	13.78	11.42
HX85A	1030	260	395	350	290
	40.55	10.24	15.55	13.78	11.42
R125LCR-9, R125LCR-9A	1095	340	475	430	390
	43.11	13.39	18.70	16.93	15.35
HX130 LCR	1190	340	475	430	390
	46.85	13.39	18.70	16.93	15.35
HX130A LCR	1167	340	475	430	390
	45.94	13.39	18.70	16.93	15.35

3. Bucket Linkage (2/5)

Unit : mm
inch


Model	KL	L1	L2	L3	L4
R140LC-9, R140LC-9S, R140W-9, R140W-9S, R145CR-9, HX140 L, HX140 LC, HX140LT3 (-#0132), HX140A L (-#0685), HW140, HW140A, HX145 LCR, HX145LCRT3 (-#0246), HX145A LCR (-#0837), HW145, HW150A CR, HW155A	1250	340	470	415	390
	49.21	13.39	18.50	16.34	15.35
HX140A L (4.10 m Boom), HX145A LCR (4.10 m Boom)	1250	340	470	415	390
	49.21	13.39	18.50	16.34	15.35
HX140LT3 (#0133-), HX140A L (#0686-), HX145LCRT3 (#0247-), HX145A LCR (#0838-)	1220	350	510	450	408
	48.03	13.78	20.08	17.72	16.06
2PCS HX140A L (#0686-), HX145A LCR (#0838-)	1220	340	510	450	408
	48.03	13.39	20.08	17.72	16.06
R160LC-9, R160LC-9S, R160W-9A, R170W-9, R170W-9S, R180LC-9, R180LC-9S, R190W-9	1360	370	575	530	410
	53.54	14.57	22.64	20.87	16.14
HX160 L, HX160A L, HW160, HW160A, HW170A CR, HX180 L, HX180A L, HW180	1360	370	575	530	410
	53.54	14.57	22.64	20.87	16.14
R210LC-9, R210NLC-9, R210W-9, R210W-9S, R220LC-9A, R220LC-9S, R220LC-9SH, R235LCR-9, HX210A L, HX210A NL, HX210S (-#4560), HW210, HW210A, HX220 L, HX220 NL, HX220LT3 (-#0234), HX220A L (-#1079), HX225S L (-#1977), HX235 LCR, HX235LCRT3 (-#0108), HX235A LCR (-#0442)	1464	420	600	570	460
	57.64	16.54	23.62	22.44	18.11
HX210S (#4561-), HX220LT3 (#0235-), HX220A L (#1080-), HX225S L (#1978-), HX235LCRT3 (#0109-), HX235A LCR (#0443-)	1465	450	608	585	464
	57.68	17.72	23.94	23.03	18.27
LONG REACH R210LC-9, R220LC-9A, R220LC-9S, R220LC-9SH, R290LC-9, R300LC-9A, R300LC-9S, R300LC-9SH, HX210S (-#4560), HX220LT3 (-#0234), HX220A L (-#1079), HX225S L (-#1977), HX300 L	1250	350	505	480	390
	49.21	13.78	19.88	18.90	15.35
LONG REACH HX210S (#4561-), HX220LT3 (#0235-), HX220A L (#1080-), HX225S L (#1978-)	1220	350	510	450	408
	48.03	13.78	20.08	17.72	16.06
HX220RB	1464	420	600	570	464
	57.64	16.54	23.62	22.44	18.27

3. Bucket Linkage (3/5)

Unit : mm
inch

Model	KL	L1	L2	L3	L4
R250LC-9, R260LC-9A, R260LC-9S, HX260 L, HX260A L, HX260LT3	1617	460	670	620	510
	63.66	18.11	26.38	24.41	20.08
R290LC-9, R300LC-9A, R300LC-9S, R300LC-9SH, HX300 L, HX300LT3 (-#0180), HX300A L (-#1618), HX300S L (-#1896)	1617	460	670	620	510
	63.66	18.11	26.38	24.41	20.08
HX300LT3 (#0181-), HX300A L (#1619-), HX300S L (#1897-)	1617	475	661	600	512
	63.66	18.70	26.02	23.62	20.16
HX300RB	1617	460	670	620	512
	63.66	18.11	26.38	24.41	20.16
R320LC-9, R330LC-9A, R330LC-9S, R330LC-9SH, R350LC-9, HX330 L, HX330A L, HX330S L, HX340S L, HX350LT3, HX350A L	1659	490	730	665	550
	65.31	19.29	28.74	26.18	21.65
HX355ALCR	1617	475	661	600	512
	63.64	18.70	26.02	23.62	20.16
R380LC-9, R380LC-9A, R380LC-9SH, HX380 L, HX380A L, HX400LT3	1700	490	740	700	550
	66.93	19.29	29.13	27.56	21.65
R430LC-9, R430LC-9SH, HX430 L	1700	490	740	700	550
	66.93	19.29	29.13	27.56	21.65
SHORT	1850	532	770	710	577
R480LC-9, R480LC-9A, R480LC-9S (-#1075), R520LC-9, R520LC-9A, R520LC-9S (-#1071)	72.83	20.94	30.31	27.95	22.72
R480LC-9, R480LC-9A, R480LC-9S (-#1075), R520LC-9, R520LC-9A, R520LC-9S (-#1071)	1850	500	770	710	577
	72.83	19.69	30.31	27.95	22.72
LONG	1850	489	770	710	577
R480LC-9, R480LC-9A, R480LC-9S (-#1075), R520LC-9, R520LC-9A, R520LC-9S (-#1071)	72.83	19.25	30.31	27.95	22.72
SHORT	1950	500	770	710	577
R480LC-9S (#1076-), R520LC-9S (#1072-), HX480 L, HX480A L, HX480S L, HX520 L, HX520A L, HX520S L	76.77	19.69	30.31	27.95	22.72
R480LC-9S (#1076-), R520LC-9S (#1072-), HX480 L, HX480A L, HX480S L, HX520 L, HX520A L, HX520S L	1950	510	770	710	577
	76.77	20.08	30.31	27.95	22.72

3. Bucket Linkage (4/5)



Unit : mm
inch

Model	KL	L1	L2	L3	L4
LONG R480LC-9S (#1076-), R520LC-9S (#1072-), HX480 L, HX480A L, HX480S L, HX520 L, HX520A L, HX520S L	1950	490	770	710	577
	76.77	19.29	30.31	27.95	22.72
HX500LT3, HX520LT3	1950	510	770	710	577
	76.77	20.08	30.31	27.95	22.72
R800LC-9, R850LC-9	2330	609	940	810	722
	91.73	23.98	37.01	31.89	28.43
LONG REACH R800LC-9, R850LC-9	1850	500	770	710	577
	72.83	19.69	30.31	27.95	22.72
HX800AL	2146	590	850	800	633
	84.49	23.23	33.46	31.50	24.91
HX900 L	2330	609	940	810	722
	91.73	23.98	37.01	31.89	28.43
HX1000AL	2424	640	930	810	750
	95.44	25.20	36.61	31.89	29.53
R1200-9, R1250-9	2600	680	1010	800	830
	102.36	26.77	39.76	31.50	32.68